

Proudly Made in Florida, USA







Where Vintage & Modern Collide®

Q1&Q2 2020 Updates

New products and continuous improvements to our website are making it easier than ever for resp to source our high-quality lighting!

New Products

A spotlight of our latest and greatest new products! As always, all products are hand-crafted in our 60,000 square foot Florida-based manufacturing facility.

Becoming Virtual

The lights are still on at Barn Light Electric! We're working harder than ever before to become virtual given the current COVID-19 situation. We know this will not only serve us now, but will create a better, more efficient way of doing business in the future! We'll show you some of the things we're doing now to become virtual!

Recent Website Updates

We're always updating our website to make for the most optimized user experience possible! We'll show you some of the latest changes and provide a sneak peek at what's coming soon!

New Products

Timber + Ore Collection

- Hands-on craftsmanship: created entirely by hand
- Wood is only sourced from North American hardwoods by suppliers who practice responsible forestry practices
- Currently offer Maple, Ash, Walnut and Oak wood species
- Preparing to expand collection, currently includes 12 products total




























Coming Soon



Egg Collection

- Available with optional spoke arms
- Both cord and stem mountings available
- Customizable with differing interior and exterior finishes
- Available in Incandescent and LED

Boston Library Light

- Incandescent and LED
- Optional guard and glass accessory
- Available in all powder coat finishes





Bucket Collection

- Available with a customizable cord, stem or gooseneck arm
- Incandescent only
- Exterior of bucket and handle are customizable with all of our powder coat finishes

Cosmos Collection

- Collection will include a 1-, 3- and 5-Light Sconce as well as a 8- and 12-Light Chandelier
- E12 Base
- Acrylic Diffuser
- UL Listed for Damp Locations





Cylinder Swag Collection

- Will be available as a single swag pendant and 3-light swag cluster
- Customizable with our array of powder coat finishes

Timber & Ore Expansion

- Planning to elaborate on our wildly popular Timber & Ore collection of lighting
- Hoping to incorporate more LED sources into some of our newest designs



Website Updates

Updated Product Pages

Our newly-designed product pages are just about complete! Product dropdowns now include easy-to-read menus complete with finish color swatches, mounting drawings, and other accessories images for a better user experience.


These step-by-step customizing options will make ordering straightforward and simple.

You asked, we listened!

- ✓ Finish Swatches verse Finish Codes
- ✓ IES Files on LED Product Listings
- ✓ Gooseneck Drawings verse Gooseneck Codes
- ✓ Generated Product Codes









Revised Spec Sheets

Our spec sheets are currently being revised to now feature a single family of lighting along with easy-to-read graphics.



FIXTURE TYPE:



G - SHADE ACCESSORIES

Wire Cage¹ Acrylic Diffuser^{1,5,7,12}

Cast Guard¹ WGG Wire Guard¹

Heavy Duty Guard¹

H - SHADE ACCESSORY FINISH

Please Note: See Section C for Finish Options. Natural Finishes not applicable with Acrylic Diffuser Guard, Wire Cage or Guard. If Porcelai Finish is selected, accessory will be powder coat

> Not Applicable Clear Glass⁶

Frosted Glass⁶ Ribbed Glass⁶

Blue Glass⁶ Red Glass⁶

Amber Glass⁶

Green Glass⁶

J - MOUNTING ACCESSORY

Clear Crackle Glass⁶

Smoke Crackle Glass⁶

Honey Crackle Glass⁶

NA

ACR TGG

CGG

painted-to-match

NA

FST

BLU

AMB


GRN

CCR

HCR

NA Not Applicable

I - GLASS OPTION



	Н —	ī
Order Evampl	le: BLE - C - DBW16 - 995 -	C
Older Example	e: BLE - C - DBW10 - 993 -	-
A - MOUN	TING STYLE	П
		Ľ
	ord Hung	
	Chain Hung	
-	Flush Mount ² Gooseneck	
	em Mount	ı
• 50	cirriodite	ı
B - SHADI	E SIZE	
WILCOX:		ı
DBW8 ⁷	DBW14	
DBW10		
DBW12	DBW20 ¹¹	l
		ı
		ı
C - SHADI	FINISH	ı
PORCELA	IN FINISHES³:	l
150	Black	ь
250	White	
350	Vintage Green	
355	Jadite	
455	Cherry Red	
550	Yellow	
650	Bronze	
750 765	Cobalt Blue	
850	Delphite Blue Graphite	
950	Metallic Chrome	ı
		ı
	COAT FINISHES*:	ı
100 105	Black Textured Black	l
200	White	l
300	Dark Green	l
307	Emerald Green	ı
311	Jadite	l
370	Mint	
380	Chartreuse	
390	Teal	
400	Barn Red	
420	Orange	
470	Watermelon	

Blush Pink

Magenta

Sunflower

Chocolate

Royal Blue

Bronze

Rust

Sherbet Orange

Oil-Rubbed Bronze

Buttery Yellow

490

495

500

570

600

601

605

615 700 CSBB

CSRW

CSBP

OPTIONS:

TBK

TWH

TBR

TRD

TPT

TBW

TBB

Black & Brown Cloth

Red & White Cloth

Black & Gold Cloth CSBW Black & White Cloth

Black & Pink Cloth

Black Cotton Twist White Cotton Twist

Brown Cotton Twist

Red Cotton Twist

Putty Cotton Twist

Black & White Twist

Red & White Twist

CHAIN MOUNT OPTIONS:

CN36 3' of Chain1

CN48 4' of Chain¹

CN60 5' of Chain1

CN72 6' of Chain¹

Brown & Beige Twist

CSGW Gold & White Cloth

CSUW Blue & White Cloth NON-CSA LISTED CORD

CBK Black Cotton

C - SHAD	E FINISH (CONTINUED)	D - MOUN	TING (CONTINUED)
POWDER	COAT FINISHES1:	FLUSH M	OUNT OPTIONS:
705	Navy	FM¹	
710	Cobalt Blue	GOOSENI	ECK OPTIONS:
790	Lavender	G1 ¹	G161
715	Delphite Blue	G21	G17
800	Industrial Grey	G31	G191
805	Charcoal Granite	G4	G22
810	Graphite	G51	G24
975	Galvanized	G6	G25
NATUDA	_ FINISHES10:	G7	G261
995	Raw Copper	G8	G32
996	Weathered Copper	G9	G341
997	Raw Brass	G10	G351
998	Weathered Brass	G11 ¹	G361
999	Oil-Rubbed Copper	G121	G40 ¹
777	Oil-Nubbed Copper	G13	G641
		G14	G651
D - MOUN	ITING	G15	
CSA LISTED CORD OPTIONS:		STEM MO	UNT OPTIONS:
SBK	Standard Black	ST506	.5" Stem Mount, 6"1
SWH	Standard White	ST512	.5" Stem Mount, 12
CMG	Grey Cotton	ST518	.5" Stem Mount, 18
CRZ	Red Chevron	ST524	.5" Stem Mount, 24
CSB	Black Cloth	ST536	.5" Stem Mount, 36
CSW	White Cloth	ST548	.5" Stem Mount, 48
CSR	Red Cloth	ST706	.75" Stem Mount, 6

	ST506	.5° Stem Mount, 6"	
	ST512	.5" Stem Mount, 12"1	
	ST518	.5" Stem Mount, 18"1	
	ST524	.5" Stem Mount, 24"1	
	ST536	.5" Stem Mount, 36"1	
	ST548	.5" Stem Mount, 48"1	
	ST706	.75" Stem Mount, 6"	
	ST712	.75" Stem Mount, 12"	
	ST718	.75" Stem Mount, 18"	
	ST724	.75" Stem Mount, 24"	
	ST736	.75" Stem Mount, 36"	
	ST748	.75" Stem Mount, 48"	
	E - MOUN	TING FINISH	
		e Section C for Finish Options Juminum is also available for	
Gooseneck and Stem mounting styles. If			
Porcelain Finish is selected, mounting will be powder coat painted-to-match.			
(I) If Cord Hung [C] or Flush Mount [F]			
Mounting Style, selection identifies canopy fini-			
(II) If Chain Hung [CN] Mounting Style, selection identifies their and content field.			
	identifies chain and canopy finish		

./5" Stem Mount, 36"			
3 .75" Stem Mount, 48"	NA	None/Not Applicable	
	HSC	Hang Straight Canopy ^{1,8}	
NTING FINISH	HDSMC	Heavy Duty Stem Mount Canopy ^{1,8}	
See Section C for Finish Options.	HDBP	Heavy Duty Backing Plate ¹	
Aluminum is also available for nd Stem mounting styles. If	DD	Dusk-to-Dawn Photocell	
ish is selected, mounting will be	DBPC	Decorative Backing Plate	
painted-to-match. ung [C] or Flush Mount [F]		Cover	
vie, selection identifies canopy finish	DCHX	Decorative Backing Plate	
Hung [CN] Mounting Style, selection		Cover & Hex Cover	
ain and canopy finish Mount [S] Mounting Style, selection			
m and canopy finish	K - LIGHT SOURCE		
Brushed Aluminum	K - LIGHT SOURCE		

	K - LIGHT SOURCE				
	E26	200 Watt Max			
	GU24	23 Watt Max ²			
1					

1

IMPORTANT: (1) Not available in Natural Finishes (2) Not available with Acrylic Diffuser accessory (3) All Porcelain Enamel finished shades feature a white interior and a black outer rim (4) All Powder Coat finished shades, Galvanized excluded, feature a white interior (5) Acrylic Diffuser accessory reduces incandescent wattage to 60W (6) Guard and Glass accessory reduces incandescent wattage to 100W Max and GU24 Bi-Pin to 18W Max (7) Not available with the Guard & Glass Accessory (8) Only applicable if Stem Mounting Style is selected in Section A (9) Only applicable if Chain Hung Mounting Style selected in Section A, select NA if another Mounting Style is selected (10) Natural Finishes have a longer estimated manufacturing time, please check the website for exact lead time. There are no returns accepted on Natural Finishes (11) Not available in Brass (12) Fixture is UL Listed for Damp Locations with Acrylic Diffuser

Address: 320 Knox McRae Drive Titusville, FL 32780 Phone: (800) 407-8784 Email: sales@barnlight.com Website: www.barnlight.com

980


F - CORDS9

Not Applicable

Please Note: See Section D for all applicable CSA and Non-CSA Listed Cord Options for


CEU Approved

Barn Light Electric is now a registered AIA and IDCEC CEU course provider! Interested in our course "The Decorative Lighting Fixture of the Century" and receiving 1 LU? Let us know and we will coordinate!



Spec By Shade

Our Spec by Shade Page has been extended to now include all fixtures styles! This resource is no longer limited to only RLM shades and also now includes all "Coming Soon" pre-launched products!



The Road Ahead

Our long-term vision for Barn Light Electric includes more interactive information and improved systems for placing orders. New product development that incorporates innovative technologies will remain a priority.

Revit + BIM

We're evaluating the current levels of demand for Revit and BIM files. If there is sufficient need for these files among our customers, obtaining them will become a top priority.

Virtual Toolbox

All of the marketing collateral we have available, located in one easy-to-access location - coming soon!

Catalog

Get excited! A brand-new, interactive catalog is in the works and will be released within the new few months!

Photo Gallery

A new-and-improved photo gallery, featuring some of our best residential and commercial photos is currently being designed behind-the-scenes, stay tuned!

All Things Custom

Custom Capabilities

If you can dream it, we can create it! Having our own in-house engineering team within the manufacturing facility allows us to oversee the production of truly one-of-a-kind lighting from the initial design stage to final construction.











Custom Overview

Custom Vs. Modification

Custom products begin with your clients' original ideas and designs. However, not every custom project needs to be fully "custom." We can also modify our existing parts and designs into entirely new creations, streamlining the process and reducing costs.

Custom Process

Our custom process is constantly being modified to be more efficient and streamlined. Any insights you may have into further improving these systems are greatly appreciated.

Lead Times & Shipping

Lead times for your custom products depend on their engineering requirements, manufacturing demands, and the volume of fixtures ordered. The lead times provided with a quote assume ideal conditions, but they may be changed once your actual order is submitted and processed.

Processing Orders

Once a purchase order is submitted and you sign off on the spec sheet, we'll begin processing your order. If necessary, we may require a deposit before an order is started.

Quote Timelines

Budgetary pricing is an initial review to determine if a custom order is financially feasible for both parties and can usually be completed within five business days. Providing a full quote is a more involved process that includes concept design time, sourcing of materials, a manufacturing review, a costed BOM, and the creation of a spec sheet. This is generally completed in ten business days.



Let's Get Social!

Find, follow and friend us for the latest news on all things Barn Light Electric!









